

Savin Price Book

DIGITAL SYSTEMS AND COPIERS

Product Description	Notes	Oracle Product Code	Bill Of Material (BOM)	SC State Price	CPC- 60 Month	SUGGESTED Retail Price
Savin 917	(1)	414845	917			1760
Savin 917F	(2)	414846	917F			2310
Savin 917SPF	(3), (20)	414847	917SPF			2730
Copier Accessories						
PS480 (500 x 1) Paper Bank	(4), (8)	410905		214	3.57	357
Accessibility Handle Type C	(5)	414901		62	1.84	104
HDD Option Type 171	(6)	415049		221	3.58	368
Cabinet, Type FAC19	(7)	411136		133	2.22	222
FAC44 Cabinet	(8)	415129		123	2.05	205
Print/Scan Option Accessories						
Printer/Scanner Unit Type 171	(9), (22)	414932		357	5.95	595
Savin Print Driver CD	(22)	004206MIU		1	0.01	1
IEEE1284 Interface Board Type A	(10), (11)	411699		63	1.05	105
IEEE802.11a/g Interface Unit Type L	(11)	403040		231	3.85	385
Gigabit Ethernet Board Type A	(11)	402547		204	3.4	340
PostScript3 Unit Type 171	(12)	414918		303	5.05	505
USB2.0/SD Slot Type B	(13)	414917		174	2.9	290
VM Card Type L	(14)	414902		84	1.4	140
BB-HPL10A-R	(21)	100123FNG		89	1.49	149
Fax Accessories						
Handset Type 1018	(15)	410781		41	0.68	68
Security & Misc. Accessories						
HDD Encryption Unit Type A	(16), (17)	414021		0	0	390
Data Overwrite Security Unit Type I	(16), (18)	413955		252	4.2	420
Optional Counter Interface Unit Type A	(19)	413012		37	0.62	62

Savin 917/917F/917SPF Notes:

- (1) Mainframe includes Legal Size Platen, 250 Sheet Paper Tray, 100 Sheet Bypass Tray, 16MB Memory and 50 Sheet ARDF. The MP 171 is a basic Copy only model and cannot be upgraded to include faxing. You may upgrade to include Printing and Scanning.
- (2) Mainframe includes Legal Size Platen, 250 Sheet Paper Tray, 100 Sheet Bypass Tray, 256MB Memory, 50 Sheet ARDF and Fax capabilities. The MP 171F is a copy/fax model only and cannot be upgraded to include Printing and Scanning.
- (3) Mainframe includes Legal Size Platen, 250 Sheet Paper Tray, 100 Sheet Bypass Tray, 640MB Memory and 50 Sheet ARDF. The MP 171SPF comes standard with Copy, Scan, Print and Fax capabilities.
- (4) Up to two Optional PS480 Paper banks can be installed, bringing the maximum paper capacity to 1,350 sheets.
- (5) Option is only available for use on the Standard Paper Tray.
- (6) This option is available for installation on MP 171 and MP 171SPF models only. The HDD is required to enable the following features: Paperless Fax, Local Fax Storage, Sample, Locked, Hold, Stored, Store and Print, Mail-to Print, S/MIME for Scan-to-Email and Advanced Security Features.
- (7) Recommended with no Optional Paper Banks or one Optional PS480.
- (8) Recommended when two Optional PS480's are installed.
- (9) Available only for the MP 171 and includes PCL 5e/6, XPS Driver Support, TWAIN Driver and enables scan-to functionality.
- (10) IEEE1284 is a Micro Centronics 36 pin cable. Converter adapter is required to connect to a Centronics connector. The adapter is available through Service Parts (p/n B6795100).
- (11) Only one of the following three options can be installed. IEEE 1284 Interface Board Type A or IEEE 802.11 a/g Interface Unit type L or Gigabit Ethernet Board Type A. They cannot be installed together.
- (12) Required for Macintosh environments, PostScript printing, Mail to Print and PDF Direct Print. Available for the MP 171SPF and MP 171 with Scanner/Printer kit.
- (13) Option is available for installation on MP 171 and MP 171SPF models only. This option allows users the ability to Scan-to-Media (USB drive or SD Card).
- (14) Required for JAVA customization.
- (15) Telephone Handset. Available only for installation on MP 171F and MP 171SPF models.
- (16) Requires the installation of Hard Disk Drive Option Type 171.
- (17) This option encrypts data stored on the HDD to prevent data theft. Even if HDD is stolen, data stored will not be disclosed.
- (18) This option functions to overwrite copy, print and scan data that is stored on the internal hard drive by overwriting the latent image with random sequences of 1's and 0's, making reproduction virtually impossible.
- (19) Required for 3rd party solutions requiring 20-pin connections.
- (20) Includes Standard Internet Fax (T.37), LAN Fax, IP-Fax (T.38) and Fax Forwarding to Email functions. Also requires PostScript3 option for Mail to Print feature.
- (21) Allows users the ability to gain access to the network using existing electrical wiring by plugging the HD-PLC Adaptor's AC cord into a wall outlet. Maximum of 8 Devices per Adaptor and a maximum of 16 Adaptors per network (1 must be designated as the Master Adaptor). Performance may be affected when adding additional network devices to an adaptor and more adaptors to the network.
- (22) Recommended with Printer/Scanner Unit Type 171.

Savin Price Book

DIGITAL SYSTEMS AND COPIERS

Product Description	Notes	Oracle Product Code	Bill Of Material (BOM)	SC State Price	CPC- 60 Month	SUGGESTED Retail Price
Savin 9040b	(1) (4)	414374	9040B			\$9,300
Savin 9040sp	(2) (4)	414376	9040SP			\$11,200
Savin 9040spf	(3) (4)	414377	9040SPF			\$12,350
Savin 9050b	(1) (4)	414375	9050B			\$11,600
Savin 9050sp	(2) (4)	414378	9050SP			\$13,420
Savin 9050spf	(3) (4)	414379	9050SPF			\$14,570
Copier Accessories						
FAC33 Cabinet	(4)	413762		126	2.1	\$210
Paper Feed Unit PB3040 (2 x 550 Sheets)	(4) (26)	414132		942	15.7	\$1,570
LCIT PB3050 (2,000 Sheets)	(4) (26)	415003		942	15.7	\$1,570
LCIT RT3000 (1,200 Sheets)	(26)	415005		942	15.7	\$1,570
Bridge Unit BU 3030	(5)	414175		138	2.3	\$230
1 Bin Tray BN3040	(6)	414177		252	4.2	\$420
2000 Sheet Booklet Finisher SR3020	(5) (8) (27)	413323		2466	41.1	\$4,110
1,000 Sheet Finisher SR790	(5) (27)	412730		888	14.8	\$1,480
3000 Sheet Finisher SR3030	(5) (8) (27)	413325		1716	28.6	\$2,860
Punch Unit Type 3260	(8)	412209		552	9.2	\$920
Hard Disk Drive Option Type 5000 (40GB)	(22)	413889		306	5.1	\$510
HDD Encryption Unit Type A	(7)	414021		234	3.9	\$390
Optional Counter Interface Unit Type A		413012		37	0.62	\$62
Fax Option Accessories						
Fax Option Type 5000	(10)	414382		690	11.5	\$1,150
G3 Interface Unit Type 5000	(9) (23)	413891		411	6.85	\$685
Handset Type 1018	(23)	410781		41	0.68	\$68
32MB Memory Unit Type B	(11) (23)	001342MIU		117	1.95	\$195
Print/Scan Option Accessories						
RPCS Printer Unit Type 5000 (Savin)	(12) (24) (25)	003264MIU		273	4.55	\$455
Printer Enhance Option Type 5000	(14) (25)	413948		342	5.7	\$570
Scanner Enhance Option Type 5000	(15) (25)	413951		216	3.6	\$360
Printer/Scanner Unit Type 5000 (Savin)	(13) (24) (25)	003265MIU		753	12.55	\$1,255
PostScript3 Unit Type 5000	(16) (21)	413954		552	9.2	\$920
IEEE802.11a/b/g Wireless Type J	(18), (21)	414008		339	5.65	\$565
Gigabit Ethernet Board Type A	(18), (21)	402547		204	3.4	\$340
IEEE1284 Interface Board Type A	(18), (21)	411699		63	1.05	\$105
Bluetooth Interface Unit Type 3245	(18), (21)	412866		227	3.78	\$378
Special Options						
File Format Converter Type E	(18) (19) (21)	414007		363	6.05	\$605
Copy Data Security Unit Type F	(20)	413985		426	7.1	\$710
Java VM Card Type F		414004		84	1.4	\$140
Key Counter Bracket Type H		412552		60	1	\$100
Data Overwrite Security Unit Type I	(17)	413955		252	4.2	\$420
Scanner Accessibility Option Type 4045		413054		1008	16.8	\$1,680

Notes:

- (1) Mainframe includes 2 x 550 Sheet Paper Trays, 256MB RAM, 100-Sheet Bypass Tray, 100-Sheet ARDF, Duplex & Interchange.
- 40 GB HDD is an option. NO UPGRADE PATH TO COLOR SCANNING.
- (2) Mainframe includes 2 x 550 Sheet Paper Trays, 768MB RAM, 100-Sheet ARDF, Duplex, 100-Sheet Bypass, Interchange, 40 GB HDD, Scanner SD Card and Printer SD Card. Color Scanning is a standard feature.
- (3) Mainframe includes 2 x 550 Sheet Paper Trays, 768MB RAM, 100-Sheet ARDF, Duplex, 100-Sheet Bypass, Interchange, 40 GB HDD, Scanner SD Card and Printer SD Card, and Fax Board. Color Scanning is a standard feature.
- (4) Must install either FAC33 Cabinet (413762) or PB3040 (414132) or PB3050 (415003)
- (5) The Bridge Unit BU3030 (414175) is required with the SR3020 Booklet Finisher (413323), SR790 (412730) and SR3030 Finishers (413325).
- (6) 125 Sheet Capacity. Provides additional output tray to separate fax/print output from copy.
- (7) Encrypts HDD and Non-Volatile RAM data immediately upon storage, which eliminates data disclosure in the event HDD is stolen.
- (8) Punch Kit Type 3260 NA 2/3 (412209) requires the installation of either Finisher SR3030 (413325) or Booklet Finisher SR3020 (413323).
- (9) Provides an additional fax modem. Two additional G3 lines can be added. Maximum of 3 lines available.
- (10) 33.6Kbps, 2 Second Transmission Speed, Standard JBIG, Standard 320 Pages. Requires Scanner/Printer Kit Type 5000 to enable LAN-Faxing, Fax Forward to Email, IP Faxing.
- (11) Memory Unit Type B 32MB increases page memory size to 16MB, SAF memory size increases to 28MB (or 2,240 pages), and resolution increases to 400 x 400 dpi.
- (12) Adds Refined Print Command Printing to the 9040b & 9050b models. Kit includes additional 256MB RAM. Hard Disk Drive is required for Locked/Hold/Store print capabilities.
- (13) Adds Printing & B/W Scanning Capabilities to the 9040b & 9050b models. 40 GB HDD is standard. **NOTE: NO UPGRADE PATH TO COLOR SCANNING.**
- (14) Adds PCL Printing. Must install RPCS Printer Unit Type 5000 (003264MIU) prior to adding this option.
- (15) Adds B/W Scanning Capabilities. Must install RPCS Printer Unit (003264MIU) AND Printer Enhance Option (413948), prior to adding this option. **NOTE: NO UPGRADE PATH TO COLOR SCANNING AVAILABLE.**
- (16) Required for Macintosh and Postscript environments.
- (17) Overwrites Copy, Print, Scanner, Document Server, File Format Converter and Paperless Fax.
- (18) One out of five options may be installed: IEEE1284 (411699), Bluetooth (412866), IEEE802.11a/b/g (414008), Gigabit Ethernet (402547) or File Format Converter (414007)
- (19) Required to convert format and drag to desktop document stored via Copy or Print mode.
- (20) Prevents unauthorized copying of confidential documents.
- (21) Hard Disk Drive Type 5000 (413889) is required for this feature.
- (22) The Hard Disk Drive Type 5000 (413889) is required to enable the following features: Document Server, Background Numbering, User Stamps, Job Presets, Preset Stamps (Additional Languages), Increases Collation to 1,000, Increases Dial Keys to 2,000 & Series Copy.
- (23) Requires Fax Option Type 5000 (414382)
- (24) The following items cannot be installed together on the same device: RPCS Printer Unit Type 5000 (003264MIU) and Printer Scanner Type 5000 (003265MIU).
- (25) Options for 9040b / 9050b Only.
- (26) LCIT RT3000 (415005) requires installation of LCIT PB3050 (415003) or Paper Feed Unit PB3040 (414132). This option cannot be installed with FAC33 Cabinet (413762).
- (27) SR790 Finisher (412730), SR3030 Finisher (413325) and SR3020 Booklet Finisher (413323) cannot be installed on the same device.

Savin Price Book

DIGITAL SYSTEMS AND COPIERS

Product Description	Notes	Oracle Product Code	Bill Of Material (BOM)	SC State Price	CPC- 60 Month	SUGGESTED Retail Price
<input checked="" type="checkbox"/> Savin 9060	(1), (2)	414787	9060			\$18,000
<input checked="" type="checkbox"/> Savin 9060sp	(1), (3), (4)	414788	9060SP			\$21,500
<input checked="" type="checkbox"/> Savin 9070	(1), (2)	414789	9070			\$23,000
<input checked="" type="checkbox"/> Savin 9070sp	(1), (3), (4)	414790	9070SP			\$26,500
<input checked="" type="checkbox"/> Savin 9080	(1), (2)	414791	9080			\$28,000
<input checked="" type="checkbox"/> Savin 9080sp	(1), (3), (4)	414792	9080SP			\$31,500
<input checked="" type="checkbox"/> Savin 9090	(1), (2)	414793	9090			\$33,000
<input checked="" type="checkbox"/> Savin 9090sp	(1), (3), (4)	414794	9090SP			\$36,500
Copier / General Accessories						
RT43	(5)	414517		1260	21	\$2,100
SR 4030 Finisher (3,000 Sheet- 50 Staple)	(1), (6)	414957		1920	32	\$3,200
SR4040 Finisher (2,000 Sheet Finisher - Saddle Stitch)	(1), (7)	414950		3300	55	\$5,500
SR4050 Finisher (3,000 Sheet - 100 Sheet Staple)	(1), (8)	414944		3300	55	\$5,500
2/3 Hole Punch Unit Type 3260	(9), (10)	412209		552	9.2	\$920
2/3-Hole Punch Kit Type 1075	(10), (11)	411198		552	9.2	\$920
Cover Interposer Tray Type 3260	(12), (13)	412213		696	11.6	\$1,160
Copy Tray Type 2075	(1)	412190		90	1.5	\$150
8 1/2"x14" Tray Type 1075	(14)	411187		510	8.5	\$850
Type 1027 Key Counter Bracket		412537		60	1	\$100
Tab Sheet Holder Type 3260	(15)	412203		28	0.47	\$47
11" x 17" Tray Unit Type 9001	(16)	415017		900	15	\$1,500
Card Rdr Bracket Type 1075		411203		75	1.25	\$125
Output Jogger Unit Type 3260	(17)	412212		221	3.68	\$368
Output Jogger Unit Type 1075	(18)	411206		221	3.68	\$368
File Format Converter Type E	(19)	414007		363	6.05	\$605
Copy Connector Type 3260		412415		894	14.9	\$1,490
Multi Folding Unit Type FD5000	(10), (20), (21)	404183		5490	91.5	\$9,150
Data Overwrite Security Unit Type H	(22)	414002		234	3.9	\$390
VM Card Type J		404230		84	1.4	\$140
BK5010 Production Booklet Maker	(23)	413101		6750	112.5	\$11,250
CF5010 Cover Feeder	(24)	413102		1620	27	\$2,700
TR5010 Trimmer Unit	(24)	413103		4980	83	\$8,300
BF5010 Book Fold Unit	(24) (25)	413104		4680	78	\$7,800
BK5010 Rail Unit	(24)	413105		192	3.2	\$320
GBC Stream Punch III	(23) (26)	414387		5397	89.95	\$8,995
GBC Die Set 3 Hole (Ring Binder)		001450MIU		240	4	\$400
GBC Die Set 11 Hole (Velobind)		001451MIU		285	4.75	\$475
GBC Die Set 19 Hole (Cerlox)		001452MIU		285	4.75	\$475
GBC Die Set 21 Hole (Twin Loop Wire 2:1)		001453MIU		285	4.75	\$475
GBC Die Set 32 Hole (Twin Loop Wire 3:1)		001454MIU		285	4.75	\$475
GBC Die Set 44 Hole (Color Coil)		001455MIU		285	4.75	\$475
GBC 32 Hole Pro Click Die Set		002493MIU		285	4.75	\$475
				0	0	
Fax Option Accessories						
Fax Option Type 9001		414945		690	11.5	\$1,150
G3 Interface Unit Type 9001	(33)	414958		408	6.8	\$680
32MB Memory Unit Type B	(34)	001342MIU		117	1.95	\$195
				0	0	
Scan/Printer Option Accessories						
Printer Scanner Unit Type 9001	(27) (35)	414954		2100	35	\$3,500
Ricoh Print Driver CD Type 9001	(35)	004049MIU		1	0.01	\$1
PostScript3 Type 9001	(28)	415050		1320	22	\$2,200
Copy Data Security Unit Type F	(29)	413985		426	7.1	\$710
Optional Counter Interface Unit Type A		413012		37	0.62	\$62
HDD Encryption Unit Type A		414021		234	3.9	\$390
Mail Box CS391	(13) (30)	412191		1260	21	\$2,100
IEEE1284 Interface Board Type A	(31)	411699		63	1.05	\$105
IEEE802.11a/b/g Wireless Interface Type J	(31)	414008		339	5.65	\$565
Bluetooth Interface Unit Type 3245	(31)	412866		227	3.78	\$378
Gigabit Ethernet Type B	(32)	414204		276	4.6	\$460
USB 2.0/SD Slot Type C	(36)	414949		180	3	\$300

Savin 9060/ 9070 / 9080 Notes

- (1) System requires a finisher or the copy tray.
- (2) Includes 150-sheet color single pass duplex document feeder, 512MB RAM, and 160GB HDD.
- (3) Includes 150-sheet color single pass duplex document feeder, 1.0GB RAM, 160GB HDD, and Scanner/ Printer Unit (includes NIC (10/100BaseT Ethernet) and USB 2.0 interfaces standard).
- (4) Includes Scanner Driver Utilities CD, DeskTopBinder Lite, SmartDeviceMonitor for Admin & Client, and TWIN drivers.
- RPCS, PCL5e, PCL6 (XL) drivers.
- (5) 4,000 Sheet capacity LCT (8 1/2" x 11").
- (6) 3,000-sheet finisher with 50-sheet staple capacity.
- (7) 2,000-sheet finisher with 50-sheet staple capacity and 15-sheet saddle-stitch capacity.
- (8) 3,000-sheet finisher with 100-sheet staple capacity.
- (9) Compatible with SR4040 and SR4030 Finishers. 2 & 3 hole punch (user-selectable).
- (10) Cannot hole punch and Z-fold at the same time.
- (11) Compatible with SR4050 Finisher only. 2 & 3 hole punch (user-selectable).
- (12) Compatible with all finishers.
- (13) Main unit cannot be configured with both the Interposer and the Mailbox.
- (14) Converts RT43 (LCT) to 8 1/2" x 14" or 8 1/2" x 11" SEF (2,500 Sheets). Requires RT43.
- (15) Required for tab copy/print. Tab Sheet Holder can be used in second or third tray (but not in both).
- (16) Converts the standard tandem tray (Tray 1) to hold 11" x 17", 8 1/2" x 14" or 8 1/2" x 11" paper with 1,000-sheet capacity).
- (17) Compatible with the SR4040 and SR4030 Finishers. Neatly arranges output.
- (18) Compatible with the SR4050 only. Neatly arranges output.
- (19) Required for retrieving files from Document Server that were stored via Copy or Print Function.
- (20) Each Z-folded sheet counts as 10 sheets.
- (21) Compatible with SR4040 and SR4050 Finishers. Not compatible with SR4030 Finisher.
- (22) Hard disk drive overwrite security option.
- (23) Requires SR4050 Finisher. Jogger Unit is recommended.
- (24) Requires the BK5010 Booklet Maker.
- (25) Requires the Trimmer.
- (26) GBC StreamPunch requires the purchase of at least one die set.
- (27) Includes 1.0GB RAM upgrade. Must purchase Print Driver & Utilities Type 9001 CD
- (28) Required for Post Script and Macintosh printing.
- (29) Documents which are printed with the "Data Security for Copying" Unauthorized Copy Control RPCS setting and copied on a device with this option installed will be grayed out.
- (30) Compatible with SR4040 and SR4030 Finishers only. Not compatible with SR4050 Finisher.
- (31) Of the following interface options, only one may be installed: IEEE 1284, IEEE 802.11a/b/g Wireless LAN, or Bluetooth.
- (32) Of the following two interfaces, only one may be installed: 10/100BaseT Ethernet or Gigabit Ethernet.
- (33) Adds one additional fax line. Up to two lines may be added for a maximum of three lines.
- (34) Increases SAF memory to 28MB (2,240 pages) and enables 400dpi resolution.
- (35) Must purchase with Printer/ Scanner Unit Type 9001 Kit
- (36) Allows user the ability to Scan-to- Media (USB or SD Card)

Savin Price Book

DIGITAL SYSTEMS AND COPIERS

Product Description	Notes	Oracle Product Code	Bill Of Material (BOM)	SC State Price	CPC- 60 Month	SUGGESTED Retail Price
Savin 7025 Digital Imaging System	(1), (3)	413987	MP2500			\$3,350
Savin 7025spf Digital Imaging System	(2), (3)	413989	MP2500SPF			\$5,180
Copier Accessories						
ARDF DF3020	(3)	413671		826	13.76	\$1,376
Platen Cover Type 1018	(3)	412524		60	1	\$100
Paper Feed Unit Type PB 3030	(4), (5), (6)	413673		788	13.13	\$1,313
FAC36 Stand	(5), (6)	414394		140	2.34	\$234
FAC37 Cabinet	(4)	414393		130	2.16	\$216
1 Bin Tray Type BN 3020	(7)	413992		198	3.3	\$330
Finisher SR 3010	(8), (9)	414218		650	10.84	\$1,084
Bridge Unit Type BU 3010	(9)	413701		155	2.58	\$258
Fax Option Accessories						
Fax Kit Type 2500	(10), (19)	413990		0	0	\$882
Handset Type 1018	(20)	410781		41	0.68	\$68
Print/Scan Option Accessories						
Printer Enhance Option DDST Type 2500NA	(11)	003091MIU		384	6.4	\$640
Printer/Scanner Unit Kit Type 2500	(12), (19)	003095MIU		603	10.05	\$1,005
All in One Kit Type 2500	(13), (19)	003093MIU		855	14.25	\$1,425
Post Script 3 Unit Type 2500	(14), (18)	414236		322	5.36	\$536
IEEE1284 Interface Board Type A	(15), (16), (18)	411699		63	1.05	\$105
IEEE802.11b Interface Unit Type H	(16), (18)	414525		237	3.95	\$395
Bluetooth Interface Type 3245	(16), (18)	412866		227	3.78	\$378
Optional Counter Interface Unit Type A		413012		37	0.62	\$62
VM Card Type D	(17), (18)	402704		59	0.99	\$99

Notes

- (1) Mainframe includes 2 x 500 Sheet Paper Trays, 16MB RAM, Duplex & 100 Sheet Bypass Tray.
- (2) Mainframe includes 2 x 500 Sheet Paper Trays, 384MB RAM, 100 Sheet Bypass, Duplex, 1 Bin Tray, Feature Expansion Board Type 2500 and Print/Scan/Fax capabilities.
- (3) Mainframes requires either Platen Cover Type 1018 or ARDF DF3020
- (4) Mainframes Requires either FAC37 Cabinet or Paper Feed Unit PB 3030
- (5) FAC36 Stand is recommended with the Paper Feed Unit PB 3030.
- (6) FAC37 Cabinet and Paper Feed Unit PB 3030 cannot be installed on the same device.
- (7) 100 Sheet Capacity. Standard on MP 2500SPF Configuration.
- (8) 500 Sheet Finisher with 50 Sheet Stapling (Letter) and 30 Sheet (Legal/Ledger)
- (9) SR3010 Finisher requires Bridge Unit
- (10) Kit includes Feature Expansion Board Type 2500 with NIC, USB 2.0, Fax Option & Fax Address Book SD Card
- (11) Kit includes PCL Emulation and TWAIN Scanning. This product cannot be upgraded to Fax.
- (12) Kit includes Feature Expansion Board Type 2500 with NIC, USB2.0, 128MB Resident & 256MB DIMM, Print/Scan Option, PCL6, 5e, RPCS Drivers and DeskTopBinder Lite Software.
- (13) Kit includes Feature Expansion Board Type 2500 with NIC, USB2.0, 128MB Resident & 256MB DIMM, Fax and Print/Scan Options, PCL6, 5e, RPCS Drivers and DeskTopBinder Lite Software.
- (14) Required for Macintosh Environments and PDF Direct Print. Only available for the Print/Scan Kit or All in One Kit.
- (15) IEEE1284 is a micro centronics 36 pin cable. Converter adapter is required to connect to a Centronics connector. The adapter is available through Service Parts (pn B6795100)
- (16) In addition to standard USB2.0 and 10Base-T/100Base-TX Ethernet interfaces, only one option may be installed in the controller board.
- (17) Required for JAVA Customization
- (18) Only available for Printer/Scanner & All-in-One Kits.
- (19) The Fax Kit, Printer Enhance Kit, Printer/Scanner Kit and All-in-One Kit cannot be installed on the same device.
- (20) Requires Fax Kit, All in One Kit or SPF Model